



The County of Bland

Invitation for Bid

For

Bland County Rescue Squad: Type I Ambulance

Contact:

Eric Workman

County Administrator
County of Bland
PO Box 510
Bland, VA 24315
276-688-4622

Advertised on County Website (www.blandcountyva.gov): **June 1, 2015**

Advertised in the Bland County Messenger: **June 3, 2015**

Bids Due: **Thursday, June 18th at 1:00 p.m.**

1. Purpose

The County of Bland seeks bids for Bland County Rescue Squad for purchase of one (1) Type I ambulance vehicle.

2. Specifications

Specifications of the type I ambulance vehicle should meet or exceed the specifications listed. The make of the vehicle is not specific. The vehicle should be new, either 2015 or 2016 year, 4x2 gas model.

Below is a copy of the specifications of the type of preferred vehicle. The County understands that not all bids will have the same name of equipment. However, bids should meet or exceed the contents and type of vehicle specified below.

DESCRIPTION	QTY
== ***** BID STANDARDS ***** - 0.000 02/07/11 ==	1
-- ORDER NUMBER	1
<i>Vehicle Quantity (Vehicles) ***</i>	1
Quality Management System ISO 9001:2008 Registered	1
BODY NUMBER:	1
-- MICKEY BODY DUE DATE :	1
ACCOUNT MANAGER: **MUST CHOOSE AN ACCOUNT MANAGER**	1
REFERENCE UNIT #:	1
RE-WRITE DATE :	1
SEAT BELT POSITIONS MODS	1
-- CAB SEAT BELT MOD:	1
-- Total: 2 Positions	1
-- REAR SEAT BELT MOD:	1
-- Total: FILL IN NUMBER OF POSITIONS	1

DESCRIPTION	QTY
Revision Level: 0 - Zero - ORIGINAL VERSION	1
== *****C/K3500 162"WB CHASSIS***** - 0.000	1
02/07/11 ==	
Type I Modular Ambulance	1
2016 GM, C3500 Gas 4x2 DRW Reg Cab 162" WB LT .6.0 Liter	1
-- 162" Wheel Base: CA = 84.3"	1
-- Engine: 6.0 Gas V-8 C/K Series OEM LML	1
-- Transmission: 6 Speed Automatic Heavy Duty Electronically Controlled	1
-- Rear Differential: Heavy Duty Automatic Locking Rear Axle	1
-- Rear Axle: 3.73 ratio	1
-- High Idle (Throttle): OEM thru Cruise Control	1
-- GVWR (4x2): GVWR 13,200 pounds, FAWR = 5,600 , RAWR = 9,750	1
-- Alternator: Dual 125amp, OEM	1
-- Engine Block Heater: OEM K05	1
-- Fuel Tank: 40 Gallon, Single	1
-- Tires and Wheels: All Season, LT235/80R17E Steel Wheels	1
-- Spare Tire and Wheel: All Terrain, LT235/80R17E mounted on steel wheel	1
-- Cab Equipment: Keyless Remote	1
-- Mirror: Exterior Elect/Heated Manual Folding with Extension	1
-- Deluxe Front Appearance Package: Chrome and Euro Package	1
-- Interior Trim, Very Dark Pewter	1
-- Cab Seat Adj.....: Driver, 6-way Power - Passenger, Manual Adjust	1
-- Radio: Cab AM/FM/CD-MP3 Input	1
-- Tire Pressure Monitoring System: None	1
NC Inspection Required: NONE	1
	1
== DR-92, 141 x 92, C3500 CONVERSION - 0.000	1
02/07/11 ==	
Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel	1
	1
BODY	1
-- Body Build Information	1
-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"	1

DESCRIPTION	QTY
Module optional parts	1
	1
Body, Module: DR-92, 141 x 92 x 66" HR - TI - C/K3500 W/ 3" body drop curbside	1
-- Headroom: 68/66" Finished Interior - Ducted A/C	1
--	1
-- Compartment Construction: STANDARD, Unless Specified Otherwise	1
-- Compt Floors: Sweep-out, even with bottom door jamb	1
-- Compartment Ventilation - Austin Flap style #VT-2495-A01, STD	1
-- Curb side Entry Door (CSE): 78.8 High x 31 Wide -6" drop	1
-- C/S Door Check : Double Action Gas Shock	1
-- Door Swing Angle: Set just over 90 degrees	1
-- Curbside Entry Door (CSE) Location: Standard, Rearward of M-7 Compt if Optioned	1
--	1
-- Step Well, CURBSIDE Entry Door, 2-Step Diamond Plate	1
-- Light, Step Well: 3" Weldon, White, STD	1
-- Light, Step Well #2 : NONE	1
-- M-1 Compt (LF): DR-92, 61.5" H x 20.7" W x 17" D	1
-- Compartment Construction: STANDARD Diamond Plate	1
-- Compartment Door Panel: Diamond Plate	1
-- Compartment Finish: Diamond Plate Standard	1
-- Compartment Door Ventilation - small punched half moon Louvered Door	1
-- Compt Floor: Sweep-out, even with bottom door jamb.	1
-- Compartment Door: SINGLE DOOR, 1-point Latch	1
-- Light, Compt, M-1 (LF): Intertek Model No ZY-156-921	1
-- M-2 Compt (LFM): NONE - No Condenser	1
-- Condenser: OEM Only, No M2	1
-- M-3 Compt (LR): DR-92, 76.8" H x 20" W x 7" D, F1	1
-- Compartment Construction: STANDARD Diamond Plate	1
-- Compartment Door Panel: Diamond Plate	1
-- Compartment Finish: Diamond Plate Standard	1
-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1
-- Strap: 2" Webb, w/ Chrome Metal Seatbelt buckle	1

DESCRIPTION	QTY
-- 2" Footman Loops: Locate back from jamb	1
-- Light, Compt, M-3 (LR): 4" Flush, T/L No 40003	1
-- <i>M-7 Compt (RF): DR-92, M7 Only, 64.5" H x 18.375 W x I/O</i>	1
-- <i>Compartment Door: SINGLE DOOR, 1-point Latch</i>	1
-- <i>Light, Compt, M-7 (RF): NONE</i>	1
-- M-8 Drawer (RF): None - Batteries Under Hood	1
-- Rear Access Doors: 48 3/4" Wide x 56 5/8" High (DR92)	1
-- Talk through, Cab to Mod Window (T1) With Sliding Window	1
-- Cab Roof Support : 3/16" x 3" Steel Plate, Per Engineering Drawing	1
-- Body Drop: 3" Curbside, Ahead of Rear Wheels	1
	1
WELDING - CELL 1	1
	1
Fuel Fill: CPI C1045, Open Housing, Polished Bezel - (Std)	1
BODY PROTECTION AND TRIM PACKAGE: C/K3500, DR-92	1
-- Bumper, Rear: HD Alum Framed w/DP pontoon covers DR	1
-- Step, Center: 2" x 7" Grip strut, flip-up	1
-- <i>Dock Bumpers: Rubber 2 1/4" H x 8" W x 2" Thick</i>	1
-- Skirt Rails: Polished Aluminum Diamond Plate	1
-- Rear Kick Plate: Polished Aluminum Diamond Plate	1
-- Recessed Tag Area: Polished Aluminum Diamond Plate	1
-- Location: Centered in the kick plate	1
-- Tag Light: Kinequip LED #132703C	1
--	1
-- Corner Caps: 24.0" High, Alum Diamond Plate	1
-- Front Stone Guards: 24.0" High, Alum Diamond Plate	1
-- Fenders, Rear: Rubber Extruded, Black	1
-- Rear Deflector: NONE	1
-- <i>Running Boards, DP, w/ Grip strut inserts</i>	1
<i>CK3500 HD (type1-2Door)</i>	
-- <i>Mud Flaps Front: Modular, Rubber</i>	1
-- <i>Mud Flaps Rear: Modular, Rubber</i>	1
-- <i>Lights, Cab Step: 2" White LED, mounted in box front, (TOCOACCR)</i>	1
--	1
(2) Rear Door Hold Opens: Grabber Style, each door	1
--	1
EXTERIOR LIGHTING / HEAT/AC / INSULATION - CELL 2	1

DESCRIPTION	QTY
CORNER CAP LED ICC/WARNING LIGHTS	1
-- Front Corner Cap LED ICC/Warning Lights:	1
Warnings RED/WHITE	
-- Front Center ICC Lts: (3) AMBER Kinequip LED	1
No 112401A,	
-- Front ICC Lt Guards: NONE	1
--	1
-- Rear Corner Cap LED ICC/Warning Lights:	1
Warnings RED/AMBER	
-- Rear Center ICC Lts: (3) RED Kinequip LED No	1
112401R	
-- Rear ICC Lt Guards: NONE	1
--	1
-- ICC Warning Lights Switched: Primary Only	1
--	1
LED Patient on Board, Exterior, NONE	1
LED Door Panel Warning, Interior, NONE	1
Underbody ("BUM") Lights : NONE	1
<i>Tail Lights, Whelen LED Combinations , ILOS,</i>	1
-- <i>Side Marker Lights: (2) RED Kinequip LED No</i>	1
112401RD	
-- <i>Whelen 600 Series, Tail Lights</i>	1
-- <i>Flanges: (6) Chrome for above 600 Series</i>	1
<i>Tail lights - INCL</i>	
-- <i>Stop/Tail, Whelen 600 Series, LED, Pair,</i>	1
<i>Maximum Populated</i>	
-- <i>Turn, Whelen 600 Series, LED, Pair</i>	1
-- <i>Back up, Whelen 600 Series, Halogen, Pair</i>	1
--	1
Patient Area Turn and Stop Light Indicator: None	1
Third (3rd) Brake Light: Kinequip KFL-3BLO1 LED	1
-- Light is to flash 5 times and steady burn	1
SCENE/FLOOD LIGHTS (LED-24 Series) DR-92	1
-- <i>Left Scene Lights: (2) LED-24, Whelen 900</i>	1
-- <i>Left Flood Activate: Left Flood Switch</i>	1
-- <i>Right Scene Lights: (2) LED-24, Whelen 900</i>	1
-- <i>Right Flood Activate: Right Flood Switch and</i>	1
<i>open CSE Door</i>	
-- <i>Rear Load Lights: (2) LED-24, Whelen 900</i>	1
-- <i>Activate: Rear Flood Switch, Reverse and</i>	1
<i>Lead RA Door</i>	
-- <i>Add Activation: Rearward Left and Right</i>	1
<i>scene lights. come on w/ Reverse</i>	
HVAC SYSTEM: ACC Brand, Ducted in Ceiling -	1
Vertical behind att seat E-series	
-- Return Air Plenum: Walk Thru Side of RF-ALS	1
-- Side Plenum Grille, Return Air: Stamped	1
Powder Coated Steel	
-- AC COMPRESSOR: Tee into O.E.M.	1
-- AC Evaporator: ACC (AC/Heat unit) w/ dual fans -	1
STD	

DESCRIPTION	QTY
-- Condensation Drain Pan: Internal ABS	1
-- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)	1
-- AC Hoses: Carrier "Quick Click" hose and fitting system	1
-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel	1
-- Filter, Washable Carbon Pre-Filter	1
-- AC Register Panels: (Std)	1
-- Ducted AC Delivery: insulated & foil wrapped, 10 registers	1
-- AC Control: Heat or AC and Fan Speed selector switches	1
--	1
Espar Heater System: None	1
CEILING PANELS : Gloss Mica over 1/4" hard plywood	1
-- Dome Lts, LED K15: Kinequip, (3) Streetside, (3) Curbside	1
-- <i>Lights, Checkout: Kinequip 440206S 4", Chrome, (6) Six</i>	1
-- <i>LOCATION: 100% In Center Ceiling Pad</i>	1
--	1
-- <i>Timer: Electronic, 15 Min with momentary switch</i>	1
-- <i>Timer to Power: Street side DOMES, High intensity</i>	1
--	1
-- IV Hook No 1: Hook 07 w/ Velcro bag stabilizer - STD	1
-- LOCATION: Over head/chest area, primary patient on COT	1
-- IV Hook No 2: Hook 07 w/ Velcro bag stabilizer - STD	1
-- LOCATION: Over head/chest area, secondary patient on S/B	1
--	1
-- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72in, Gray Antimicrobial	1
-- Streetside Grab Rail: None	1
Insulation PKG:	1
-- Insulation: Circumferential PKG, Reflective w/ Air cell core	1
-- Insulation: Entry Door, Reflective w/ Air cell core	1
-- Insulation: Floor, 1/2" Block Foam	1
-- Insulation: Walls/Ceiling, Additional : NONE	1
-- Stepwell Insulation: None	1
-- <i>Light Bar Alternative, (2) Across Front</i>	1
-- <i>Front of Module LED System - All Bodies (2)</i>	1

DESCRIPTION	QTY
-- Whelen, 900 Super LED, (2) RED	1
-- Flasher for LED front of module	1
-- Flanges: (2) 900-Chrome Flanges for lights above	1
-- Light: Whelen 900, Super RED	2
LED/CLEAR LENS, Non-Programmable IATS	
-- Lens color for Above LED Light to be: Clear	2
-- LED Color for Above 900 Super LED: RED	2
--	1
-- Alternative Lightbar Switching, Prim/Sec	1
-- Rear Light Bar: NONE	1
 LED WARNING LIGHT SYSTEM - C/K3500	1
-- Flasher: Vanner 9860GCPE	1
-- Flash Pattern: KKK-A-1822	1
-- Flasher Pattern Vanner 9860GCPE: #1 Alternate Flash (default)	1
-- Warning Light SWITCH: center console, Primary / Secondary	1
 -- (2) Grille Lights: Whelen TIRLIN3, LED, Chrome Hsg	1
-- Program #25 - Steady Burn, Flash thru Flasher	1
-- Lights: (2) Whelen TIRLIN3, RED LED, Chrome Hsg	1
-- Red LED	1
-- Lens color for Above LED Light to be: Clear	1
 -- Additional Grille TIR-Lights: NONE	1
-- (2) Front Intersection, Whelen LINZ6, SLED, Chrome Flange	1
-- Light, Whelen LINZ6, RED S-LED, Chrome Flange	2
-- Red LED	2
-- Lens color for Above LED Light to be: Clear	2
 --	1
-- (1) Center Front Warning Light : Whelen 900 (Super LED)	1
-- Flange: (1) 900-Chrome Flanges for light above	1
-- Light: Whelen 900, Super WHITE	1
LED/CLEAR LENS, Non-Programmable ILOS	
-- Lens color for Above LED Light to be: Clear	1
-- LED Color for Above 900 Super LED: WHITE	1
--	1

DESCRIPTION	QTY
-- (2) Front Warning Lts: Whelen 900, (Super LED)	1
-- Flanges: (2) 900-Chrome Flanges for lights above	1
-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable ILOS	2
-- Lens color for Above LED Light to be: Clear	2
-- LED Color for Above 900 Super LED: RED	2
--	1
-- (4) Side Warning Lts: Whelen 900, (Super LED)	1
-- Flanges: (4) 900-Chrome Flanges for lights above	1
-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable ILOS	4
-- Lens color for Above LED Light to be: Clear	4
-- LED Color for Above 900 Super LED: RED	4
--	1
-- (2) Rear Intersection Lts : Whelen 700, (Super LED) IATS	1
-- Flanges: (2) 700-Chrome Flanges for lights above	1
-- Locations: (1) over each rear wheel well opening.	1
-- Light: Whelen 700, Super RED LED/CLEAR LENS, Non-Programmable ILOS	2
-- Lens color for Above LED Light to be: Clear	2
-- LED Color for Above 700 Super LED: RED	2
-- Rear Intersection Lights Switched: PRIMARY / SECONDARY	1
--	1
-- (2) Rear Warning Lts: Whelen 900, (Super LED) ILOS	1
-- Flanges: (2) 900-Chrome Flanges for lights above	1
-- Location: REAR, (1) in EACH Upper outer corner.	1
-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable ILOS	2
-- Lens color for Above LED Light to be: Clear	2
-- LED Color for Above 900 Super LED: RED	2
--	1
-- (2) Rear Warning Lts: Whelen 900, (Super LED), IATS	1
-- Flanges: (2) 900-Chrome Flanges for lights above	1
-- Location: REAR, (1) aligned w/ EACH upper window in RA doors.	1
-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable IATS	2

DESCRIPTION	QTY
-- Lens color for Above LED Light to be: Clear	2
-- LED Color for Above 900 Super LED: RED	2
--	1
-- (1) Rear Center Warning Lt: Whelen 600, (Super LED)	1
-- Flange: (1) 600-Chrome Flanges for lights above	1
-- Light: Whelen 600, Super AMBER LED/CLEAR LENS, Non-Programmable	1
-- Lens color for Above LED Light to be: Clear	1
-- LED Color for Above 600 Super LED: AMBER	1
--	1
-- Additional Kick Plate Lts, On Rear : NONE	1
-- LED Program Switch : NONE	1
--	1
--	1
ELECTRICAL - CELL 3	1
-- Customer Supplied Part(s) : NONE	1
--	1
--	1
Hand Held Spot Light: None	1
Batteries: 2 - Battery System - Type I Chevy/ GMC 3500 HD	1
-- Batteries: (2) Underhood (Type I)	1
-- Battery Make: (2) OEM	1
-- Battery Switch: Cole Hersee 2484-16 Paddle, T1 center console	1
-- Batteries Wired: Parallel for higher amperage	1
Dash Light : NONE	1
--	1
Cabinet Interior Lights: None	1
Door Locks, MODULE: Manual Key Operated	1
-- Camera View System - NONE	1
-- Camera View and Record System - NONE	1
Circuit Board: RMR Rail System, W/ LED Diagram - Type I	1
-- Master Switch: Front Only	1
-- Circuit Protection, 12V: Blade Breaker - Manual-reset	1
-- Sequencer/Load manager: NONE	1

DESCRIPTION	QTY
-- Ind Light Flasher: Thru 14S Flasher Unit	1
-- Type I - CAB Console: Pass Thru - 14" OAW	1
-- Cab Console SWITCH PANEL: Type I	1
-- CHARGING SYSTEM GAUGE PACKAGE	1
-- Volt Meter: (1) VDO, 8.0 thru 16.0 Volts,	1
Analog	
-- Engraved LOGO: AEV TraumaHawk	1
-- Indicator Light: AMBER Compt Open" light	1
-- Flashing light: Activate w/ ANY compartment	1
door switch.	
-- Indicator Light: GREEN "Amb Pwr" light	1
-- Steady burn light: Activate with Conversion	1
power switch	
-- Indicator Light: RED "Door Ajar" light	1
-- Flashing light: Activate w/ ANY Mod entry	1
door switch.	
-- Door/Compartment Ajar Buzzer: None	1
-- <i>Add-on Console: F-series console</i>	1
-- <i>Drink Holder: (2) In Cab Console, Big Gulp</i>	2
Size	
-- <i>Drink Holder Location: Front</i>	2
-- <i>Note Book Slot: Single - Full width by 4"</i>	1
wide	
-- <i>Divider(s): NONE</i>	1
-- <i>Customer Radio: Space for Customer</i>	1
<i>installed Radio Heads</i>	
-- <i>Glove Storage: None</i>	1
-- <i>Console Finish: Black, Textured "Easy</i>	1
<i>Grip"</i>	
--	1
-- Console Finish: Black, Textured "Easy Grip"	1
--	1
Back-up Alarm: Standard	1
-- Cut Off Switch: Auto reset ,momentary style	1
Ground Straps, Module to Frame: (Qty 4) Braided	1
<i>Inverter : Vanner 20-1050 CUL-DC - DR-92</i>	1
-- <i>Portable Equip Charging Circuits: Included in</i>	1
<i>Inverter</i>	
-- <i>PREWIRE LOCATION: (1)Cab Console, (1)</i>	1
<i>Behind A/A</i>	
-- <i>Portable Equip Pwr Source: Ignition and/or</i>	1
<i>Shoreline</i>	
-- <i>Battery Charger/Conditioner: 55A - Built into</i>	1
<i>Inverter</i>	
-- <i>Built-in Battery Charger: Enable - Wire to</i>	1
<i>Batteries</i>	
-- <i>Inverter Location: Under A/A</i>	1
Low Voltage Indicator: Amber with Buzzer	1
 COMMUNICATION RADIO(S) RELATED	 1
--	1
-- Radio Power No 1: 30A, Pos and Neg, 10 awg	1
Wires	

DESCRIPTION	QTY
-- Radio Power Source: Battery Switch Hot	1
-- LOCATION: Behind Passenger's Seat	1
-- Radio Power No 2: 30A, Pos and Neg, 10 awg Wires	1
-- Radio Power Source: Battery Switch Hot	1
-- LOCATION: Behind Action Area Board	1
-- Coaxial Cable, No 1: Type RG-58U, No connectors	1
-- ORIENTATION POINT: Roof Port No 1	1
-- Port Plate: None - Access thru center upholstery panel	1
-- TERMINATION POINT: Behind Passenger's seat w/ 36" Tail	1
-- Patient Area Radio : None	1
--	1
INTERIOR 12 Volt OUTLETS (DR-92)	1
-- 12V Outlet, No 1: Cigar Style - Wire thru Med Isolator	1
-- LOCATION: Action Area wall no 3 (Front wall)	1
-- Outlet mounting ORIENTATION: Vertical	1
-- Power Source: Medical Isolator , Batt Sw Hot	1
--	1
-- 12V Outlet, No 2: Cigar Style - Wire thru Med Isolator	1
-- LOCATION: RF ALS, (See Drawing)	1
-- Outlet mounting ORIENTATION: Vertical	1
-- Power Source: The SAME as outlet No 1	1
--	1
--	1
125 Volts AC SHORE LINE AND OUTLETS	1
-- Shore Line Inlet: 20A Super Auto Eject, ILOS	1
-- Inlet location: Aft of Left Front compartment	1
-- Cover, Yellow, Shore Line Inlet : 20A Super Auto Eject, STD	1
--	1
-- Inpower Timer: VCM-05-01SF, Installed	1
--	1
-- **125 Volt AC OUTLETS (DR-92)**	1
-- 125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY	1
-- Outlet mounting ORIENTATION: Vertical	1
-- LOCATION: Action Area Wall No 3 (Front wall)	1
--	1
-- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY	1
-- LOCATION: RF ALS, (See Drawing)	1
-- Outlet mounting ORIENTATION: Vertical	1
--	1
-- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVORY	1

DESCRIPTION	QTY
-- LOCATION: Face of Squad Bench, (See Drawing)	1
-- Outlet mounting ORIENTATION: Vertical	1
--	1
-- 125 VAC Outlet, No 4: 15A, Hospital Grade, IVORY	1
-- LOCATION: Telemetry Area, (See Drawing)	1
-- Outlet mounting ORIENTATION: Vertical	1
--	1
-- 125 VAC Outlet, No 5: 15A, Hospital Grade, IVORY	1
-- LOCATION: Face of Wall Cabinet, (See Drawing)	1
-- Outlet mounting ORIENTATION: Vertical	1
--	1
--	1
Siren: Whelen, WS295HFSC9, GM-C/K3500	1
-- Siren Spkr: CPI, Bumper Recessed, SAD/P3809 - GM-C/K3500	1
-- Siren / Horn Switch: In Cab Console	1
Air Horn System: NONE	1
	1
CABINET SHOP - Modular	1
--	1
ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"	1
--	1
Mica Color: Gloss Gray	1
--	1
Polycarbonate Type/Color: Lexan - CLEAR	1
-- Polycarbonate Handles: Full Length Extruded	1
--	1
Attendant Seat: EVS, Vacuum Form, 3-Point Seat	1
-- Attendant Seat: EVS, Gunmetal, Vacuum Form, 3-Point Seat	1
-- BASE: EVS Seats, Metal, Mica Covered Base, Match Unit Interior	1
-- Door, Single Solid Flush Fitted	1
-- TRIM: U-shaped Door, J-trim opening	1
-- SPECIFY HINGE ORIENTATION	1
???????	
-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1
-- Lever Latch: Non-locking - Black Finish	1
-- Attendant Seat, Armrest: None	1
--	1
AC CABINET: Evaporator / Blower - Standard DR-92	1
--	1
ELECTRICAL CABINET, Over Att Seat: Standard DR-92	1

DESCRIPTION	QTY
-- Door, Single Solid, Flush - Standard	1
-- TRIM: U-shaped Door, J-trim opening	1
-- Hinge Orientation: BOTTOM	1
-- Lever Latch: Non-locking - Black Finish	1
--	1
CURBSIDE UPPER: NONE - Not enough head strike clearance	1
--	1
CURBSIDE REAR STORAGE CABINET: NONE	1
--	1
RF ALS Cabinet: DR-92 Std	1
-- Check the specified Walk through Door type (Station 5)	1
-- Cabinet I-1: DR-92 Std	1
-- **Drug Drawer**	1
-- (2) Doors w/Lexan Inserts*****	1
-- Interior Material and Color: To be Color Keyed Laminate	1
-- (Cabinet I) Outside Access: NONE	1
-- Cabinet I-2: DR-92 Std	1
-- **Bottom Section Drug Box Storage**	1
-- Trim Type: J-Trim	1
-- Interior Material and Color: To be Color Keyed Laminate	1
-- (Cabinet I) Outside Access: NONE	1
-- Cabinet I-3: DR-92 Std	1
-- Open Cabinet: No Door, Trim Opening	1
-- Trim Type: J-Trim	1
-- Interior Material and Color: To be Color Keyed Laminate	1
-- (Cabinet I) Outside Access: NONE	1
-- Cabinet I-4: DR-92 Std	1
-- Open Cabinet: No Door, Trim Opening	1
-- Trim Type: J-Trim	1
-- Interior Material and Color: To be Color Keyed Laminate	1
-- (Cabinet I) Outside Access: NONE	1
--	1
SQUAD BENCH: DR-92 Standard	1
-- See Upholstery Section for Post and Wheel Cup info	1
-- Bio-waste/Sharps Mounted on A-Bar/Head of Sq. Bench	1
-- LOCATION: At head of Squad Bench	1
-- SHARPS CONTAINER: 3-Quart Bemis	1
Container	
-- WASTE CONTAINER: AEV 6 Quart	1
-- Squad Bench Lids: Split - 2-section	1
-- Hinge, Squad Bench Lid(s): Butt Style Hinges	1
-- Latch, Squad Bench Lid(s): Slam Action Paddle,	2
Non-loc	
-- Lid Checks: Gas shock, Dual Action	2
-- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection	1

DESCRIPTION	QTY
--	1
-- Back Board Slot: NONE, Move BB to M-3 (LR Compt)	1
-- Restraint Net, Removable, at head of S/B, Black Webbing	1
--	1
--	1
Miscellaneous Squad Bench Options: Select from list	1
--	1
SPARE TIRE/STAIRCHAIR CABINET: Behind Attn Seat w/ext access only	1
--	1
TOP CABINET: DR-92, Full wall cabinet	1
-- Cabinet A: DR-92 Standard	1
-- Doors: 3-pc Sliding Lexan, Mitered AL Assy: STD	1
-- Polycarbonate Handles: Full Length Extruded	1
--	1
-- Cabinet B: DR-92, Standard	1
-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1
-- Polycarbonate Handles: Full Length Extruded	1
--	1
-- Cabinet C: DR-92, Standard	1
-- Door, Single Solid Flush Fitted Hinged Right	1
-- TRIM: U-shaped Door, J-trim opening	1
-- Hinge Orientation: RIGHT	1
-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1
-- Lever Latch: Non-locking - Black Finish	1
--	1
-- **ALL CABINETS TO BE RE-STOCKING**TOTAL OF (7)	1
WALL CABINET: DR-92, CPR Side Seat, Opt No 2 - NO Telemetry	1
-- Action Area TOP: DR-92, Std, w/ CPR seat	1
-- A/A: Mica Finish, color keyed to interior	1
-- Action Area Board: See Station No 6 for content	1
--	1
-- Cabinet D: 9" Deep Stair Chair Cab, Open Cab, M-3 = 7" D	1
-- Strap (int): 2" Webb, w/ Chrome Metal Seatbelt buckle	1
-- Cabinet E-1: DR-92 CPR Side Seat No 2	1
-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1
-- Polycarbonate Handles: Full Length Extruded	1
--	1
-- Cabinet E-2: DR-92 CPR Side Seat No 2	1
-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1

DESCRIPTION	QTY
-- Polycarbonate Handles: Full Length Extruded	1
--	1
-- Cabinet F: DR-92 Standard, Over A/A	1
-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1
-- Polycarbonate Handles: Full Length Extruded	1
--	1
-- Cabinet Under A/A, Access door	1
-- Access, Single Black Powder, Overlay (DR86-92)	1
-- Lever Latch: Non-locking - Black Finish	1
--	1
-- CPR Side Seat: 24" inch - Single Position - Standard	1
-- Back Rest: Fixed to Back Wall of CPR Seat w/clips	1
--	1
-- Cylinder Viewing Window: Sliding Polycarbonate	1
-- P6 - 6-Point Restraint System - DR92 - with CPR Seat	1
-- (2) on Squad Bench, (1) CPR Side Seat (DR92)	1
-- Squad Bench: (0) seating positions for 2-point, LAP, ALR	1
-- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench	1
-- S/B: (3) Sec patient restraints - 5" Sleeves By Hinge	1
--	1
--	1
--	1
CABINET SET - CELL 4 - MOD	1
Sub Floor, 3/4" Plywood, Standard	1
--	1
Flooring: Lonplate - No 165 Sapphire Blue (Blue)	1
-- Flooring Main Edge: Anodized Aluminum Cove molding	1
-- Rear Threshold, Stainless, 6" Wide x Full Width at rear doors	1
-- C/S Stepwell Threshold, Polished Diamond Plate	1
--	1
--	1

DESCRIPTION	QTY
COT MOUNT HARDWARE: (DR-92)	1
--	1
-- Cot Mount : Stryker, No 6377, Dual Position, Floor Mount	1
-- Cot Position No 1: CENTER POSITION	1
-- Cot mount set up for: Stryker MX-pro	1
-- Cot Stop, Block: NONE	1
-- Cot Location No 2: SIDE POSITION, Left of center	1
-- Cot mount set up for: Stryker MX-pro	1
-- Cot Stop, Block: NONE	1
--	1
-- Q Straint System: NONE	1
Hanging Hardware: NONE	1
OXYGEN / AIR / VACUUM System: (DR-92)	1
-- Oxygen Outlet No 1: Amico Console - Ohio Diamond Style	1
-- LOCATION: Action Area	1
--	1
-- Oxygen Outlet No 2: Amico Console - Ohio Diamond Style	1
-- LOCATION: Action Area	1
--	1
-- Oxygen Outlet No 3: Amico Console - Ohio Diamond Style	1
-- LOCATION: Curbside Wall, over the head of the S/B	1
--	1
-- Oxygen Outlet No 4: NONE	1
--	1
-- Port Cyl Rack No 1: Zico QR-D-2 - D or Jumbo D - No Strap Req	1
-- Location:	1
--	1
-- Port Cyl Rack No 2: Zico QR-D-2 - D or Jumbo D - No Strap Req	1
-- Location:	1
--	1
-- Rack No 1: M/H cylinder, AEV, Aluminum w/ (2) Pull Straps	1
-- Neck Strap: Connected to top strap of bottle rack	1
--	1
-- Cylinder Type: OXYGEN - Green Colored Hose	1
--	1
-- Rack Location: Left Front, wall #2 near wall #3	1
-- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard	1
--	1
-- Vacuum System: SSCOR regulator/gauge panel in A/A	1
-- Collection Canister: Bemis, 1200 CC Capacity	1
-- VAC Plumbing: Direct from panel to canlster - NO Outlet	1

DESCRIPTION	QTY
-- Vacuum Pump: 49 State	1
-- Location: M-2 Compartment	1
--	1
-- PORTABLE SUCTION UNIT : NONE	1
--	1
--	1
 TRIM / DOOR ASSEMBLY - CELL 5	 1
-- Soft Touch Trim Kit: None	1
	1
*****DOOR DEPARTMENT -	1
DR-92*****	
-- Handles, Ext: Tri-mark 030-1875, Free Float, Polished CNNC finish	1
-- Emergency Access Interior Release: NONE	1
Entry Door Panels, Windows and Hardware	1
-- Interior Grab Handle Color: Gray Antimicrobial	1
-- Grab Handle, CS Entry: 1 1/4" Dia..... S/S, 2-pt 18"L, Gray Antimicrobial	1
-- Grab Handles, Rear Access: (2) 12"L X 1 1/4" Dia..... S/S, 2-pt, Gray Antimicrob	1
-- <i>Door Panels: Mica over smooth alum(upper/lower)/Uph Center</i>	1
-- <i>Curbside Lower Door Panel: Mica over Smooth Alum</i>	1
-- UPPER Windows: RA Doors, Fixed Glass 17.3"W x 19.3"H	1
-- UPPER Window: CS Access, Fixed Glass, std tint	1
Solid wall with sliding Lexan window	1
-- Sliding Window Locking Pin: 1/4" with Lanyard	1
--	1
 ELECTRICAL Point to Point - CELL 6	 1
-- Map Light : None	1
-- IV Warmer No 1: NONE	1
	1
 Action Area Light: 12V, 12", LED, Surface Mt (DR)	 1
-- Light Location: Action Area	1
	1
 UPHOLSTERY - CELL 7	 1
	1
<i>Upholstery Color: Blue (Blue Ridge)</i>	1
-- <i>Center Trough Upholstery Color: Color Key to Rest of Truck</i>	1
--	1
Uph Joint Type: Vacuum Formed - Seamless	1

DESCRIPTION	QTY
Squad Bench seat cushion cut-outs: None	1
-- Post And Wheel Cups: NONE	1
Head Protection: Pad over CS Entry Door	1
Head Protection: 2" Pad over Rear Access Doors, Full Width	1
-- Clock, Aviation Style, 6" Round, 24 Hour, Battery Powered	1
-- DOOR, Clock mount: For clock battery Changes	1
-- Location: Over Rear Doors	1
--	1
	1
PAINT - STRIPES - DECALS	1
-- Undercoating : Per QVM Guidelines, STD	1
	1
Reflective Tape: On painted edges of Exterior Door Frame	1
Compartment Finish: Diamond Plate Standard	1
Primary (Over All) Color: White (YZ)	1
--	1
-- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R	1
-- CUSTOM DOUBLE PAINT STRIPES (YELLOW SIKKENS CM437B4)	1
-- Paint Belt: NONE	1
-- Pin Stripe: NONE	1
--	1
-- Roof Paint: Color and finish quality to be GLOSSY	1
--	1
Special Striping: Chevron Items: NONE	1
Lettering: NONE	1
--	1
Drip Rails: Bright Aluminum, De-burred and rounded corners	1
	1
DETAIL - SHIP LOOSE ITEMS	1
-- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information	1
-- *Check front of W/O under chassis section for Add'l items*	1
--	1
-- Owner's Manual DVD ship loose	1
-- Printed Owner's Manual Not Required	1
-- Amico O2 Minder, Transducer: NONE	1
	1
Glove Holder, Ship Loose: NONE	1
--	1
Decals: KKK / DOT Pkg, Blue/White reflective - Ship Loose	1

DESCRIPTION	QTY
-- Decals: 32" Star of Life - Ship Loose	1
--	1
Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1
--	1
AEV Logos: Installed on unit per AEV standard locations	1
Fire Extinguisher, 5 pound, shipped loose, Std	1
Reflector Pkg: Body - 2ea, Side Fr Amber, Side Re Red, Rear	1
--	1
STD Regulator, Oxygen, Fixed output @ 50 psi +/-5 , CGA 540, Ship Loose	1
Post And Wheel Cups: NONE	1
Spare Tire: Refer To Chassis Section to See if it gets one.	1
Primary Cot: NONE included	1
--	1
Secondary Stretcher: NONE included	1
--	1
Indemnification Statement	1
== DR-92, T-1 C3500 Base - 0.000 02/07/11 ==	1
GENERAL CONVERSION	1
	1
	1
	1
2015*** DR-92***Chevy Gas 3500 HD 4x2 Reg Cab CONV PKG 15-1	1
--	1
	1
-- ***END OF ORDER***	1
Total	

3. Bid Requirements

Bid Submission – One (1) signed copy of your bid must be submitted on or before 1:00 PM on Thursday, June 18, 2015 to:

**Dr. Eric R. Workman
County Administrator
PO Box 510
612 Main Street, Suite 201
Bland, VA 24315
Phone: 276-688-4622 / Email: eworkman@bland.org**

APPENDIX A

BLAND COUNTY

BID OR PROPOSAL CONDITIONS

IMPORTANT! READ CAREFULLY BEFORE MAKING BID!

1. A bidder may withdraw or cancel a bid or proposal at any time prior to the date set for opening. After such time, the bidder may not withdraw for a period of sixty (60) calendar days. Any bidder may be required to clarify his bid or acknowledge by written confirmation that the minimum requirements of the request for proposal are included in the bidder's proposal.
2. Any invitation to bid, a request for proposal, any other solicitation or any and all bids or proposals may be canceled or rejected when it is determined that it is in the best interest of the County to do so. The reasons therefor shall be made a part of the contract file. Any bid which is incomplete, conditional, obscure, or which is not in conformance with the specifications may be rejected, or any such irregularities may be waived at the option of the County.
3. If more than one bid or proposal received is for the same total amount or unit price, quality and service being equal, the tie bidders shall be invited to resubmit written bids below the original bid and the award shall be made to the bidder with the lowest price.
4. If the lowest acceptable bid exceeds available funds, the County may negotiate with the bidder to obtain a contract price within available funds. The negotiations shall be confined to a reduction in the contract price and shall not deal with changes in the contract requirements.
5. Except in the case of an emergency affecting the public health safety or welfare, no contract shall be awarded on the basis of cost plus a percentage of cost. This paragraph shall not apply to contracts of insurance. Public contracts may be awarded on any other basis.
6. No contract other than one for the professional services of an accountant, architect, land surveyor, landscape architect, attorney, doctor of medicine or optometry or professional engineer, shall be awarded for a period in excess of three (3) years.
7. With the following exceptions procurement documents are subject to the Virginia Freedom of Information Act:
 - A. Cost estimates relating to a proposed procurement transaction prepared by or for the County shall not be opened to public inspection.
 - B. Bid and proposal records shall be opened to public inspection only after award of the contract. Any bidder or offerer may be allowed to inspect the bid or proposal records prior to award unless the County decides not to accept any bids and to reopen the contract.

- C. Trade secrets or proprietary information submitted to the County are not subject to disclosure if requested by the person submitting such information. Any such request must identify what is to be protected and state the reasons therefor.
8. Any bidder or offerer submitting a proposal to the County subjects himself to the decision of the administrator or the public body as to the quality of what is offered, responsiveness of the bid, responsibility of the bidder, and the qualifications of any offerer. The administrator or the public body, as the case may be, in their sole discretion will evaluate bids or proposals and in all cases the decision made shall be final. Every offerer submitting a bid or proposal agrees to abide by the decisions of such officials as a condition precedent to the submission of the bid.
 9. The County does not accept the responsibility for maintaining a bid list and will not accept the responsibility for the failure of any competitor to receive a solicitation directly from the County.
 10. Once invitations to bid or requests for proposal have been advertised, should a prospective bidder find any discrepancy in or omissions from the specifications, requests for proposal, or other contract documents, or should he be in doubt as to their meaning, he shall at once notify the specified contact person who will send written instructions to all bidders. The County will not be responsible for any oral instructions.
 11. The provisions of Sections 2.2-4305, 2.2-4315, 2.2-4311, 2.2-4312, 2.2-4330, 2.2-4333 through 2.2-4338, 2.2-4340, 2.2-4341, 2.2-4363, and 2.2-4367 through 2.2-4377 of the Code of Virginia of 1950 are incorporated into these conditions by reference as fully as if set forth herein.
 12. The administrator may at his sole discretion require a bid, performance or payment bond in any procurement solicitation. The requirement for such bond shall be clearly stated in the bid documents.
 13. By submitting a bid or proposal, the offerer agrees and warrants that he has examined all the contract documents and, if appropriate, the subject of the contract and where the specifications require a given result to be produced, that the specifications are adequate and the required results can be produced under the specifications in the contract. Omissions from the specifications shall not relieve the offerer from the responsibility of complying with the general terms of the contract as indicated by the specifications. Once the award has been made, failure to have read all the conditions, instructions and specifications of the contract will not be a cause to alter the original contract or proposal or for the offerer to request additional compensation.
 14. The firm, corporate or individual name of the bidder or proposer must be signed in ink in the space provided for the signature on the page following these conditions. In the case of a corporation the title of the officer signing must be stated and each officer must be thereunto duly authorized. In the case of a partnership, the signature of at least one of the partners must follow the firm name using the term "member of the firm."
 15. Pursuant to Section 2.2-4343.1 of the Code of Virginia of 1950, in all invitations to bid, requests for proposals, contracts, and purchase orders, the County does not discriminate against faith-based organizations.

16. Pursuant to an invitation to bid, the project will be awarded to the lowest responsive and responsible bidder, as those concepts are defined in Section 2.2-4301 of the Code of Virginia of 1950. When competitive sealed bidding is used the following factors shall be considered in addition to price when determining the lowest responsive and responsible bidder:
 - A. The ability, capacity and skill of the bidder to perform the contract or provide the services required;
 - B. Whether the bidder can perform the contract or provide the service promptly, or within the time specified, without delay or interference;
 - C. The character, integrity, reputation, judgment, experience, and efficiency of the bidder;
 - D. The quality of performance of previous contracts or services;
 - E. The previous and existing compliance by the bidder with laws and ordinances relating to the contract or service;
 - F. The sufficiency of financial resources and ability of the bidder to perform the contract or provide the service.
 - G. The quality, availability and adaptability of the goods or services to the particular use required;
 - H. The ability of the bidder to perform future maintenance and service for use of the subject of the contract;
 - I. The number and scope of conditions attached to the bid; and
 - J. Any other condition or criteria included in the request for bids or the instructions to bidders.

17. Pursuant to a request for proposal, when competitive negotiation is the method of procurement, the following factors shall be considered in a descending order of importance in determining the most qualified firm or individual:
 - A. Any special qualifications or requirements set forth in the proposal documents.
 - B. Qualifications of the project manager and project teams.
 - C. Overall qualifications and experience of firm and any subcontractor to be used.
 - D. Quality of the content of the proposal and its responsiveness to the request for proposal.
 - E. The sufficiency of financial resources and ability of the bidder to perform the contract or provide the services.

- F. The location of the office that will have the responsibility for providing the services and the ability of the proposer to respond quickly to requests or requirements of the County.
- G. Financial ability of the firm to perform future maintenance and service for use of the subject of the contract.
- H. Cost estimates (which may or may not be required at the time of submission of the proposal, depending upon the circumstances.)

APPENDIX B
BID DECLARATION

TO THE BOARD OF SUPERVISORS:

1. The undersigned hereby declares that he (it) is the only person (firm) interested in this bid; that it is made without any connection with any person making another bid for this same contract; that the bid is in all respects fair and without collusion or fraud; and that no official of the School Board or any person in the employ of the Board of Supervisors is directly or indirectly interested in the bid or any portion of the profit thereof.

2. The undersigned also declares that he has carefully examined the invitation to bid specifications and all annexed instructions and contracts and will provide all the required services and will fulfill all the terms of the bid, if selected.

SIGNATURE: _____

DATE: _____

ADDRESS OF PRINCIPAL PLACE OF BUSINESS:

Telephone: _____

APPENDIX C

GENERAL TERMS AND CONDITIONS

The procurement documents, including Appendix C, "General Terms and Conditions," to the Invitation for Bid, the Request for Proposal, or other Solicitation, and the response of the bidder (**the "Contractor"**) will be incorporated into a resulting contract as fully and completely as if set forth in such contract in its entirety. The following are the general conditions that will apply to all procurements done by the Board of Supervisors of the County of Bland (**the "County"**).

1. General Provisions

Nothing in any resulting contract shall be construed as authority for either party to make commitments which will bind the other party beyond the scope of service contained herein. This contract is subject to appropriations by the County.

2. Laws of the Commonwealth

- A. Any purchase order or contract resulting from this solicitation shall be governed in all respects whether as to validity, construction, performance, or otherwise by the laws of the Commonwealth of Virginia. The Contractor providing goods or services to the County under this contract assures the County that it is:
1. Conforming to the provisions of the Civil Rights Act of 1964, as amended, the Virginia Fair Employment Contracting Act of 1975, as amended, and the Virginia Human Rights Act, as amended, where applicable;
 2. Not employing illegal alien workers or otherwise violating the provisions of the Immigration Reform and Control Act of 1986;
 3. Complying with federal, state and local laws and regulations applicable to the performance of the services procured; and
 4. Submitting the bid or proposal in full compliance with the Virginia Conflict of Interest Act.
- B. In every contract of over \$10,000, the Contractor agrees during the performance of this contract that:
1. The Contractor (1) will not discriminate against any employee or applicant for employment because of race, religion, color, sex, disability, or national origin, except where religion, sex or national origin is a bona fide occupational qualification reasonably necessary to the normal operation of the Contractor, (2) will post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause, and (3) will state that the Contractor is an equal opportunity employer in all

solicitations or advertisements for employees placed by or on behalf of the Contractor under this contract. All notices, advertisements, and solicitations placed in accordance with federal law, rule or regulation shall be deemed sufficient for the purpose of meeting the requirements of this section;

2. The Contractor will include the provisions of the foregoing subparagraph 2.(B)(1) in every subcontract or purchase order under this Contract of over \$10,000, so that the provisions will be binding upon each subcontractor or vendor.
- C. In every contract of over \$10,000, the Contractor agrees during the performance of this contract that:

The Contractor shall A) provide a drug-free workplace for its employees; B) post in conspicuous places, available to employees and applicants for employment, a statement notifying employees that the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana is prohibited in its workplace and specify the actions which will be taken against any employee for a violation; C) state in all of its solicitations or advertisements for employees that it maintains a drug-free workplace; and D) include the provisions of this sub-paragraph in every subcontract or purchase order of over \$10,000, so that said provisions shall be binding upon each subcontractor or vendor.

For purposes of this sub-paragraph, "drug-free workplace" means a site for the performance of work done in connection with a specific contract awarded to a contractor in accordance with the provisions of the Virginia Public Procurement Act, the employees of whom are prohibited from engaging in the unlawful manufacture, sale, distribution, dispensation, possession or use of any controlled substance or marijuana during the performance of the contract.

- C. In addition to the provisions contained in sub-paragraph C. pertaining to drug-free place, Contractor shall comply with the Federal Drug Free Workplace Act.
- E. Pursuant to Section 2.2-4343.1 of the Code of Virginia of 1950, in all invitations to bid, requests for proposals, contracts, and purchase orders, the County does not discriminate against faith-based organizations.

"Faith-based Organization" means a religious organization that is or applies to be a contractor to provide goods or services for programs funded by the block grant provided pursuant to the Personal Responsibility and Work Opportunity Reconciliation Act of 1996, P.L. 104-193.

If Contractor is a faith-based organization, then Contractor shall give to each individual who applies for or receives goods, services, or disbursements provided pursuant to this Agreement the following notice:

NOTICE

Pursuant to Section 2.2-4343.1 of the Code of Virginia of 1950, as an applicant for or recipient of goods, services, or disbursements provided pursuant to a contract between the County and a faith-based organization, you are hereby notified as follows:

Neither the County's selection of a charitable or faith-based provider of services nor the expenditure of funds under this contract is an endorsement of the provider's charitable or religious character, practices, or expression. No provider of services may discriminate against you on the basis of religion, a religious belief, or your refusal to actively participate in a religious practice. If you object to a particular provider because of its religious character, you may request assignment to a different provider. If you believe that your rights have been violated, please discuss the complaint with your provider or notify the County Administrator.

3. Certifications

The Contractor certifies that:

1. The bid or offer (1) is made without prior participation, understanding, agreement, or connection with any corporation, firm or person submitting a bid/offer for the same materials, supplies, equipment, or services with respect to the allocation of the business afforded by or resulting from the acceptance of the bid or proposal, (2) is in all respects fair and without collusion or fraud, and (3) is or is intended to be competitive and free from any collusion with any person, firm or corporation;
2. The Contractor has not offered or received any kickback from any other bidder or Contractor, supplier, manufacturer, or subcontractor in connection with the bid/offer on this solicitation. A kickback is defined as an inducement for the award of a contract, subcontracts or order, in the form of any payment, loan, subscription, advance, deposit of money, services or anything, present or promised, unless consideration of substantially equal or greater value is exchanged. Further, no person shall demand or receive any payment, loan, subscription, advance, and deposit of money, services or anything of value in return for an agreement not to compete on a public contract;
3. The Contractor is not a party to nor has he participated in nor is obligated or otherwise bound by agreement, arrangement or other understanding with any person, firm or corporation relating to the exchange of information concerning bids, prices, terms or condition upon which the contract resulting from the acceptance of his bid proposal is to be performed;
4. The Contractor understands that collusive bidding is a violation of the Virginia Governmental Frauds Act and federal law, and can result in fines, prison

sentences, and civil damage awards and agrees to abide by all conditions of this proposal; and

5. The Contractor or subcontractor has not and will not confer on any public employee having official responsibility for a procurement transaction any payment, loan, subscription, advance, deposit of money, services or anything of more than nominal value, present or promised, unless consideration of substantially equal or greater value is exchanged.

4. Warranties

Any goods or services furnished by the Contractor under the contract shall be covered by the most favorable warranties provided by the Contractor to any customer. The Contractor agrees that if such warranties are in any respect breached, the Contractor will pay to the County the full contract price agreed to by the County to be paid for the supplies, materials, equipment or services furnished under the bid or proposal. The rights and remedies hereby provided are in addition to any and do not limit those otherwise available to the County.

5. Modifications, Additions or Changes

Modifications, additions or changes to these terms and conditions may not be made except in writing and agreed to by the County; however, no fixed priced contract may be increased by more than twenty-five (25) percent of the amount of the contract or \$50,000 whichever is greater without the approval of the County. The amount of any contract may not be increased for any purpose without adequate consideration provided to the County.

6. Hold Harmless

The Contractor agrees to indemnify, defend and hold harmless the County and its officers, agents, and employees from any claims, damages and actions of any kind or nature, whether at law or in equity, arising from or caused by the use of any materials, goods, or equipment of any kind or nature furnished by the Contractor or any services of any kind or nature provided by the Contractor, provided that such liability is not attributable to the sole negligence on the part of the County or to failure of the County to use the materials, goods, or equipment in the manner outlined by the Contractor and descriptive literature or specifications submitted with the Contractor's bid.

7. Assignment

The contract may not be assigned, sublet, or transferred without the written consent of the County.

8. Default

In the case of default or breach by the Contractor, or the failure of the Contractor to deliver the services in conformance with the specifications in the contract, the County shall give written notice to the Contractor specifying the manner in which the contract has been breached. If the County gives such notice of breach and the Contractor has not corrected the breach within fifteen (15) days of receipt of the written notice, the County shall have the right to immediately rescind, revoke or terminate the contract and in addition to any other remedies available at law to procure such services from other sources and hold the Contractor responsible for any and all excess cost occasioned thereby.

9. Audit

The Contractor hereby agrees to retain all books, records, and other documents relative to this contract for five (5) years after final payment or after all other pending matters are closed, whichever is longer. The County and its authorized agents, state auditors, the grantor of the funds to the County, the Comptroller of Virginia or of the United States, or any of their duly authorized representatives shall have access to any books, documents, papers and records of the Contractor which are directly pertinent to the specific contract for the purpose of making audits, examinations, excerpts or transcriptions.

10. Ownership of Documents

Any reports, studies, photographs, negatives, or other documents prepared by Contractor in the performance of its obligations under any resulting contract shall be remitted to the County by the Contractor upon completion, termination or cancellation of this Contract. Contractor shall not use, willingly allow or cause to have such materials used for any purpose other than performance of Contractor's obligations under this contract without the prior written consent of the County. The County shall own the intellectual property rights to all materials produced under this contract.

11. Payment and Performance Bond

For any Contract for construction, the amount of which exceeds \$100,000, the Contractor shall furnish to the County the bonds required under Sections 2.2-4336 and 2.2-4337 of the Code and shall otherwise fully comply with the requirements of such sections of the Code. The County reserves the right to require payment and/or performance bonds in the amount of the Contract for any other Contracts, whether or not required by such sections of the Code.

12. Required Payment

Pursuant to Section 2.2-4354 of the Code, the Contractor covenants and agrees to:

- a. within seven (7) days after receipt of any amounts paid to the Contractor under the Contract, (i) pay any subcontractor for its proportionate share of the total payment received from the County attributable to the work under the Contract performed by such subcontractor, or (ii) notify the County and the subcontractor, in writing, of its intention to withhold all or a part of the subcontractor's payment and the reason therefor;

- b. provide its federal employer identification number or social security number, as applicable, before any payment is made to the Contractor under the Contract; and
- c. pay interest at the legal rate or such other rate as may be agreed to in writing by the subcontractor and Contractor on all amounts owed by the Contractor that remain unpaid after seven (7) days following receipt by the Contractor of payment from the County for work performed by the subcontractor under the Contract, except for amounts withheld pursuant to subparagraph 12a. above.
- d. include in its contracts with any and all subcontractors the requirements of a, b, and c. above.

13. Liability Coverage

In addition to that which may be expressly stated in the procurement announcement documents prepared by the County, the Contractor shall take out and maintain during the life of the Contract such bodily injury, liability and property damage liability insurance as shall protect it and the County from claims for damages for personal injury, including death, as well as from claims for property damage, which may arise from its activities under this agreement. Such insurance must be issued by a company admitted within the Commonwealth of Virginia and with at least a Best's Key Rating of at least A:V1. The Contractor shall provide the County with a certificate of insurance showing such insurance to be in force and providing that the insurer shall give the County at least 30 days' written notice prior to cancellation or other termination of such insurance.

14. No Waiver

Any failure of the County to demand rigid adherence to one or more of the provisions in the contract, on one or more occasions, shall not be construed as a waiver nor deprive the County of the right to insist upon strict compliance with the terms of this contract. Any waiver of a term of this contract, in whole or in part, must be in writing and signed by the party granting the waiver to be effective.

15. Termination

The County may terminate the resulting contract for its convenience upon thirty (30) days written notice to the Contractor. The Contractor shall not be paid for any service rendered or expense incurred after receipt of such notice except such fees and expenses incurred prior to the effective date of termination that are necessary for curtailment of the Contractor's work under this contract.

16. Choice of Law

To ensure uniformity of the enforcement of the contract, and irrespective of the fact that either of the parties now is, or may become, a resident of a different state, this Agreement shall be governed by and construed in accordance with the laws of the Commonwealth of Virginia without regard to her principles of conflicts of law.

17. Forum Selection

The parties hereby submit to the personal jurisdiction and venue of any state or federal court located within the Commonwealth of Virginia for resolution of any and all claims, causes of action or disputes arising out of or related to the contract and agree that service by registered mail to the addresses set forth in Paragraph 19 of this Appendix shall constitute sufficient service of process for any such action. The parties further agree that any claims, causes of action or disputes arising out of, relating to or concerning this contract shall have jurisdiction and venue only in the Circuit Court for the County or in the U.S. District Court, Western District.

18. Severability

If any provision of the contract is held to be illegal, invalid, or unenforceable, or is found to be against public policy for any reasons, such provision shall be fully severable and the contract shall be construed and enforced as if such illegal, invalid, or unenforceable provision had never been part of the contract, and the remaining provisions of the contract shall remain in full force and effect and shall not be affected by the illegal, invalid, or unenforceable provision, or by its severance from the contract.

19. Notices

All requests, notices and other communications required or permitted to be given under the contract shall be in writing and delivery thereof shall be deemed to have been made when such notice shall have been either (a) duly mailed by first-class mail, postage prepaid, return receipt requested, or any comparable or superior postal or air courier service then in effect, or (b) transmitted by hand delivery, telegram, telex, telecopy or facsimile transmission, to the party entitled to receive the same at the address indicated below or at such other address as such party shall have specified by written notice to the other party.

Notices to the County shall be sent to:

Bland County Administration

P.O. Box 510

Bland, VA 24315

Notices to the Contractors shall be sent to: *(BIDDER, PLEASE COMPLETE!)*

20. Contractual Claims Procedure

- A. Contractual claims or disputes, whether for money or other relief, except for claims or disputes exempted by law from the procedure set forth herein, shall be submitted in writing no later than sixty (60) days after final payment; provided, however, that Contractor shall give the County written notice of its intention to file a claim or dispute within fifteen (15) days after the occurrence upon which the claim or dispute shall be based. Any written notice of Contractor's intention to file such a claim or dispute need not detail the amount of the claim, but shall state the facts and/or issues relating to the claim in sufficient detail to identify the claim, together with its character and scope. Whether or not Contractor files such written notice, Contractor shall proceed with the work as directed. If Contractor fails to make its claim or dispute, or fails to give notice of its intention to do so as provided herein, then such claim or dispute shall be deemed forfeited.
- B. The County, upon receipt of a detailed claim, may at any time render its decision and shall render such decision within one hundred twenty (120) days of final payment. Each such decision rendered shall be forwarded to the Contractor by written notice.
- C. If the Contractor disagrees with the decision of the County concerning any pending claim, the Contractor shall promptly notify the County by written notice that the Contractor is proceeding with the work under protest. Any claim not resolved, whether by failure of the Contractor to accept the decision of the County or under a written notice of Contractor's intention to file a claim or a detailed claim not acted upon by the governing body of the County, shall be specifically exempt by the Contractor from payment request, whether progress or final. Pendency of claims shall not delay payment of amounts agreed due in the final payment.
- D. The decision on contractual claims by the governing body of the County shall be final and conclusive unless the Contractor appeals within six months of the date of the final decision on the claim by instituting legal action in the appropriate circuit court.